




**SUPERMATIC**<sup>®</sup>

Quality is our Priority



**super**

**REFRIGERATORS CATALOGUE 2024**



A Legacy of Quality and Trust.

Since its founding, Supermatic has been synonymous with quality and excellence. Born from the vision of entrepreneurs committed to innovation, the brand quickly established itself as a benchmark in the industry, offering appliances that combine functionality, design, and durability.

Over the years, Supermatic has maintained a solid reputation by adapting to consumer needs and market trends. In its relaunch, it reaffirms its legacy of trust and quality with a new line of products that fuses tradition and innovation. Each item bears the hallmark of rigorous manufacturing standards and a deep understanding of modern household needs.

Supermatic's reputation has been forged through its dedication to customer satisfaction, incorporating cutting-edge technology and innovative features that ease daily life. This approach has allowed the brand to remain relevant in a competitive market and become an essential ally for millions of households.

Supermatic reaffirms its commitment to quality and trust, offering solutions that enhance the quality of life, backed by a long history of excellence.

Technology that Inspires, Quality that Endures...

# Contents

## Refrigerators 2024

**1 Multi-Door Series**  
French Door  
Cross Door  
Side by Side

---

**2 Double Door Series**  
Auto Defrost  
Manual Defrost

---

**3 Single Door Series**  
Upright Freezer  
Mini Fridge

---

**4 Built-in Series**  
Double Door  
Single Door

---

**5 Hotel Fridge**  
Absorption  
Thermoelectric

---

**6 Retro Fridge**  
Double Door  
Single Door

Multi-Door Series

French Door



Total Capacity (L)	600	596
Fridge Compartment(L)	423	419
Freezer Compartment(L)	177	177
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European ClassF	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	914*724*1778	914*724*1778
Packaging(W*D*H)(mm)	952*762*1853	968*778*1891
Weight(Net/Gross kg)	120/134	120/130
Loading (40HQ)(pcs)	36	36



Total Capacity (L)	578	560
Fridge Compartment(L)	366	329
Freezer Compartment(L)	151	151
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European Class F	European Class F
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	912*725*1785	912*725*1785
Packaging(W*D*H)(mm)	968*778*1901	968*778*1901
Weight(Net/Gross kg)	102/112	141/152
Loading (40HQ)(pcs)	36	36

Multi-Door Series

French Door



Total Capacity (L)	492	486
Fridge Compartment(L)	327	337
Freezer Compartment(L)	165	149
Defrosting	Automatic	Automatic
Certification	CE/CB/SASO	CE/GS/CB
Energy Efficiency	European Class A+	European Class F/E(A+/A++)
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	836*706*1830	704*694*2000
Packaging(W*D*H)(mm)	893*735*1895	750*738*2111
Weight(Net/Gross kg)	94/103	95/104
Loading (40HQ)(pcs)	52	48



Total Capacity (L)	480
Fridge Compartment(L)	302
Freezer Compartment(L)	128
Defrosting	Automatic
Certification	CE/GS/CB
Energy Efficiency	European Class F/E(A+/A++)
Refrigerant	R600a
Product(W*D*H)(mm)	794*706*1817
Packaging(W*D*H)(mm)	854*763*1900
Weight(Net/Gross kg)	111/120
Loading (40HQ)(pcs)	56

Cross Door



Model		
Total Capacity (L)	611	585
Fridge Compartment(L)	394	352
Freezer Compartment(L)	109	107
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European Class F	European Class F
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	912*725*1785	912*725*1785
Packaging(W*D*H)(mm)	968*778*1901	968*778*1901
Weight(Net/Gross kg)	118.5/127.5	150/160
Loading (40HQ)(pcs)	36	36



Total Capacity (L)	542	451
Fridge Compartment(L)	367	321
Freezer Compartment(L)	175	130
Defrosting	Automatic	Automatic
Certification	CE/CB/SASO	CE/CB/SASO
Energy Efficiency	European Class A+	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	911*706*1830	911*636*1830
Packaging(W*D*H)(mm)	968*750*1895	968*680*1895
Weight(Net/Gross kg)	94/104	100/110
Loading (40HQ)(pcs)	48	53

Cross Door



Total Capacity (L)	452	431
Fridge Compartment(L)	292	298
Freezer Compartment(L)	80	133
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CB/ CE
Energy Efficiency	European Class F	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	794*706*1817	850*678*1850
Packaging(W*D*H)(mm)	854*763*1900	912*727*1906
Weight(Net/Gross kg)	102/110	102/113
Loading (40HQ)(pcs)	55	51



Total Capacity (L)	427
Fridge Compartment(L)	256
Freezer Compartment(L)	149
Defrosting	Automatic
Certification	CE/GS/CB
Energy Efficiency	European Class F/E
Refrigerant	R600a
Product(W*D*H)(mm)	794*643*1817
Packaging(W*D*H)(mm)	855*723*1925
Weight(Net/Gross kg)	86/95
Loading (40HQ)(pcs)	57



## Multi-Door Series

Global Leading Brand For High-end Kitchen Appliances

### Multi-Door Series

#### Side by Side



Total Capacity (L)	601	570
Fridge Compartment(L)	394	377
Freezer Compartment(L)	207	193
Defrosting	Automatic	Automatic
Certification	CB/CE	CB/CE/SASO
Energy Efficiency	European Class A+	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	920*735*1768	911*706*1780
Packaging(W*D*H)(mm)	977*780*1855	968*750*1845
Weight(Net/Gross kg)	95/105	86/96
Loading (40HQ)(pcs)	48	48



Total Capacity (L)	562	560
Fridge Compartment(L)	370	365
Freezer Compartment(L)	192	167
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS
Energy Efficiency	European Class F	European Class F/E(A+/A++)
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	910*743*1787	910*743*1787
Packaging(W*D*H)(mm)	982*780*1877	979*777*1877
Weight(Net/Gross kg)	99/110	110/121
Loading (40HQ)(pcs)	48	48

Multi-Door Series

Side by Side



Total Capacity (L)	552	519
Fridge Compartment(L)	175	334
Freezer Compartment(L)	377	185
Defrosting	Automatic	Automatic
Certification	CB/CE/SASO	CE/GS
Energy Efficiency	European Class A+	European Class F/E/D(A+/A++/A+++)
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	911*706*1780	910*643*1786
Packaging(W*D*H)(mm)	991*757*1845	966*720*1885
Weight(Net/Gross kg)	104/114	85/95
Loading (40HQ)(pcs)	48	48



Total Capacity (L)	432
Fridge Compartment(L)	165
Freezer Compartment(L)	267
Defrosting	Automatic
Certification	CB/CE/SASO
Energy Efficiency	European Class A+
Refrigerant	R600a
Product(W*D*H)(mm)	836*636*1780
Packaging(W*D*H)(mm)	893*700*1845
Weight(Net/Gross kg)	80/89
Loading (40HQ)(pcs)	55

# Double Door Series

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

2  
09-16

**supermatic**®

Quality is our Priority

Double Door Series

Automatic-Top Mount



Total Capacity (L)	552	538
Fridge Compartment(L)	433	399
Freezer Compartment(L)	119	139
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	MEPS2018/E	A+
Certification	CE/GS/CB	CB/CE
Product(W*D*H)(mm)	794*685*1852	836*688*1850
Packaging(W*D*H)(mm)	840*731*1925	885*721*1932
Weight(Net/Gross kg)	81/89	87/93
Loading (40HQ)(pcs)	58	55



Total Capacity (L)	501	465
Fridge Compartment(L)	384	364
Freezer Compartment(L)	117	101
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	MEPS2018 4/5 Star	A+
Certification	CB/SAAGCC	CB/CE
Product(W*D*H)(mm)	794*685*1720	706*686*1850
Packaging(W*D*H)(mm)	843*734*1795	755*740*1930
Weight(Net/Gross kg)	78/85	72/80
Loading (40HQ)(pcs)	63	66

Double Door Series

Automatic-Top Mount



Total Capacity (L)	421	374
Fridge Compartment(L)	321	285
Freezer Compartment(L)	100	89
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	NOM/MEPS2018	NOM
Certification	NOM/CE/GS/CB/SAA	NOM
Product(W*D*H)(mm)	700*685*1720	700*635*1720
Packaging(W*D*H)(mm)	750*731*1825	750*680*1825
Weight(Net/Gross kg)	69/77	66/73
Loading (40HQ)(pcs)	67	70



Total Capacity (L)	252	247
Fridge Compartment(L)	198	195
Freezer Compartment(L)	54	52
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	MEPS 2 stars	F
Certification	CE/CB	CE/CB
Product(W*D*H)(mm)	545*623*1657	550*562*1676
Packaging(W*D*H)(mm)	580*675*1707	578*591*1728
Weight(Net/Gross kg)	55/61.5	47/51
Loading (40HQ)(pcs)	98	106

Single Door Series

Automatic-Top Mount



Total Capacity (L)	203
Fridge Compartment(L)	143
Freezer Compartment(L)	60
Defrosting	Automatic
Refrigerant	R600a
Energy Class	MEPS 3 stars
Certification	CE/CB
Product(W*D*H)(mm)	545*623*1372
Packaging(W*D*H)(mm)	580*675*1423
Weight(Net/Gross kg)	48/53
Loading (40HQ)(pcs)	126

Single Door Series

Automatic-Bottom Mount



Total Capacity (L)	306	300
Fridge Compartment(L)	219	205
Freezer Compartment(L)	87	95
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	A+	F
Certification	CB/CE	CE/CB/GS
Product(W*D*H)(mm)	595*630*1850	595*592*1859
Packaging(W*D*H)(mm)	650*685*1929	645*628*1935
Weight(Net/Gross kg)	60/68	70/77
Loading (40HQ)(pcs)	72	76

Automatic-Bottom Mount



Total Capacity (L)	408	334
Fridge Compartment(L)	309	245
Freezer Compartment(L)	99	89
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	A+	A+
Certification	SAA/CB	CE/GS
Product(W*D*H)(mm)	704*687*1723	595*681*2003
Packaging(W*D*H)(mm)	750*733*1825	647*691*2078
Weight(Net/Gross kg)	81/89	77/83.5
Loading (40HQ)(pcs)	67	54



Total Capacity (L)	275
Fridge Compartment(L)	203
Freezer Compartment(L)	72
Defrosting	Automatic
Refrigerant	R600a
Energy Class	A+
Certification	CB/CE
Product(W*D*H)(mm)	545*615*1825
Packaging(W*D*H)(mm)	945*1215*2025
Weight(Net/Gross kg)	55/63
Loading (40HQ)(pcs)	96

Single Door Series

Manual-Top Mount



Total Capacity (L)	492	472
Fridge Compartment(L)	162	142
Freezer Compartment(L)	330	330
Defrosting	Manual	Manual
Refrigerant	R134a	R134a
Energy Class	A	A
Certification	CB	CE/CB/Uruguay Energy
Product(W*D*H)(mm)	705*597*1850	705*597*1770
Packaging(W*D*H)(mm)	772*692*1924	772*692*1844
Weight(Net/Gross kg)	62/66	60/64
Loading (40HQ)(pcs)	69	70



Total Capacity (L)	358	328
Fridge Compartment(L)	108	108
Freezer Compartment(L)	250	220
Defrosting	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A	A
Certification	CE/CB/SASO	CE/CB
Product(W*D*H)(mm)	604*620*1645	604*620*1545
Packaging(W*D*H)(mm)	660*690*1700	660*690*1600
Weight(Net/Gross kg)	51/55	48/52
Loading (40HQ)(pcs)	70	79

Single Door Series

Manual-Top Mount



Total Capacity (L)	280	210
Fridge Compartment(L)	212	159
Freezer Compartment(L)	68	42
Defrosting	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A/A+/A++	A+/A++
Certification	CE/CB/GS	CE/CB
Product(W*D*H)(mm)	550*568*1700	550*568*1410
Packaging(W*D*H)(mm)	580*590*1730	580*590*1450
Weight(Net/Gross kg)	45/50	41/45
Loading (40HQ)(pcs)	106	144



Total Capacity (L)	138	80
Fridge Compartment(L)	96	54
Freezer Compartment(L)	42	26
Defrosting	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A+/A++	A/A+
Certification	CE/CB	CE/CB
Product(W*D*H)(mm)	456*525*1304	456*525*850
Packaging(W*D*H)(mm)	490*565*1320	510*580*880
Weight(Net/Gross kg)	35/38	25/27.5
Loading (40HQ)(pcs)	192	288

Double Door Series

Manual-Bottom Mount



Total Capacity (L)	264
Fridge Compartment(L)	198
Freezer Compartment(L)	66
Defrosting	Manual
Refrigerant	R600a
Energy Class	A+
Certification	CE/CB/GS
Product(W*D*H)(mm)	554*558*1800
Packaging(W*D*H)(mm)	580*580*1869
Weight(Net/Gross kg)	53/58
Loading (40HQ)(pcs)	105



Total Capacity (L)	165
Fridge Compartment(L)	122
Freezer Compartment(L)	43
Defrosting	Manual
Refrigerant	R600a
Energy Class	F
Certification	CE/CB/GS
Product(W*D*H)(mm)	495*562*1430
Packaging(W*D*H)(mm)	521*585*1500
Weight(Net/Gross kg)	41/49
Loading (40HQ)(pcs)	156



# Single Door Series

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

3

17-24



Single Door Series

Upright Freezer-Automatic



Net Capacity(L)	590	360
Freezer(L)	590	/
Defrosting	Automatic	Automatic
Energy Class	DOE/E-STAR/SASO/C	European Class A+(A++)
Certification	GCC/SASO	CE/GS/CB/SONCAP/SASO
Refrigerant	R600a	R600a
Unit size WxDxH(mm)	830*733*1940	595*712*1855
Box Size WxDxH(mm)	880*783*2020	643*713*1948
Weight N/G (Kg)	83/93	71/82
Loading (40HQ)(pcs)	39	72



Net Capacity(L)	260	194
Freezer(L)	260	194
Defrosting	Automatic	Automatic
Energy Class	European Class A+/A++	European Class F/E( A+/A++)
Certification	CE/GS/CB/SASO	CE/GS/CB
Refrigerant	R600a	R600a
Unit size WxDxH(mm)	595*712*1855	550*562*1691
Box Size WxDxH(mm)	643*713*1948	580*580*1755
Weight N/G (Kg)	77/85	60/66
Loading (40HQ)(pcs)	72	106

Single Door Series

Upright Freezer-Automatic



Net Capacity(L)	155
Freezer(L)	155
Defrosting	Automatic
Energy Class	European Class F/E( A+/A++)
Certification	CE/GS/CB
Refrigerant	R600a
Unit size WxDxH(mm)	550*562*1434
Box Size WxDxH(mm)	580*580*1498
Weight N/G (Kg)	46/50
Loading (40HQ)(pcs)	140

Upright Freezer-Manual



Net Capacity(L)	230	180
Freezer(L)	230	180
Defrosting	Manual	Manual
Energy Class	A	A
Certification	CB/CE	CB/CE
Refrigerant	R134a	R134a
Unit size WxDxH(mm)	595*552*1715	545*550*1410
Box Size WxDxH(mm)	635*600*1780	575*580*1435
Weight N/G (Kg)	55/59	55/59
Loading (40HQ)(pcs)	80	144



## Single Door Series

Global Leading Brand For High- end Kitchen Appliances

### Single Door Series

#### Upright Freezer-Manual



Net Capacity(L)	88	50
Freezer(L)	88	50
Defrosting	Manual	Manual
Energy Class	E	E
Certification	CE	CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	505*525*850	470*450*632
Box Size WxDxH(mm)	567*576*885	520*465*665
Weight N/G (Kg)	32/34	18/20
Loading (40HQ)(pcs)	251	459



Net Capacity(L)	34
Freezer(L)	34
Defrosting	Manual
Energy Class	E
Certification	CE
Refrigerant	R134a/R600a
Unit size WxDxH(mm)	470*450*510
Box Size WxDxH(mm)	520*465*530
Weight N/G (Kg)	14/16
Loading (40HQ)(pcs)	560

Single Door Series

Upright Freezer-Manual



Net Capacity(L)	310	280
Freezer(L)	310	280
Defrosting	Manual	Manual
Energy Class	B	B
Certification	CE	CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	600*620*1690	600*620*1495
Box Size WxDxH(mm)	662*650*1732	662*650*1537
Weight N/G (Kg)	71/78	66/73
Loading (40HQ)(pcs)	80	101



Net Capacity(L)	216	182
Freezer(L)	216	182
Defrosting	Manual	Manual
Energy Class	B	B
Certification	CE	CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	545*542*1450	545*542*1298
Box Size WxDxH(mm)	570*595*1494	570*595*1341
Weight N/G (Kg)	53/57.5	49/53
Loading (40HQ)(pcs)	142	155

Single Door Series

Upright Freezer-Manual



Net Capacity(L)	162	80
Freezer(L)	162	80
Defrosting	Manual	Manual
Energy Class	A/A+	A+
Certification	CB/CE	CB/CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	550*568*1410	480*490*831
Box Size WxDxH(mm)	580*590*1450	515*530*844
Weight N/G (Kg)	45/49	27/30
Loading (40HQ)(pcs)	144	276

Mini Fridge



Net Capacity(L)	120	91
Defrosting	Manual	Manual
Energy Class	/	/
Certification	ETL DOE/CE	SAA /ETL DOE/CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	505*525*850	470*450*850
Box Size WxDxH(mm)	567*576*855	520*465*865
Weight N/G (Kg)	24.5/26.5	21.5/23.5
Loading (40HQ)(pcs)	251	338

Single Door Series

Mini Fridge



Net Capacity(L)	68	48
Defrosting	Manual	Manual
Energy Class	E	E
Certification	ETL /CE	SAA / ETL/CE/MEPS/PSE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	470*450*632	450*450*510
Box Size WxDxH(mm)	520*465*655	495*465*530
Weight N/G (Kg)	16.5/18	14.3/15.5
Loading (40HQ)(pcs)	459	580



Net Capacity(L)	42
Defrosting	Manual
Energy Class	E
Certification	CE
Refrigerant	R134a/R600a
Unit size WxDxH(mm)	453*450*495
Box Size WxDxH(mm)	465*475*515
Weight N/G (Kg)	14.1/15.5
Loading (40HQ)(pcs)	620

# Built-in Series

CREATE YOUR LIFE

Global Leading Brand For High-end  
Kitchen Appliances

4

25-28

supermatic®

**Built-in Series**

**Double Door**



Total Capacity (L)	240
Fridge Compartment(L)	183
Freezer Compartment(L)	57
Defrosting	Automatic
Refrigerant	R600a
Energy Efficiency	European Class A+ /A++
Certification	CE/GS/CB
Product(W*D*H)(mm)	540*540*1772
Packaging(W*D*H)(mm)	585*564*1875
Weight(Net/Gross kg)	53/58
Loading (40HQ)(pcs)	109



Total Capacity (L)	226
Fridge Compartment(L)	148
Freezer Compartment(L)	78
Defrosting	Automatic
Refrigerant	R600a
Energy Efficiency	European Class A+
Certification	CE/GS/CB
Product(W*D*H)(mm)	540*540*1772
Packaging(W*D*H)(mm)	585*564*1875
Weight(Net/Gross kg)	54/59
Loading (40HQ)(pcs)	109



**Built-in Series**

Global Leading Brand For High-end Kitchen Appliances



**Built-in Series**

**Single Door**



Total Capacity (L)	137	120
Fridge Compartment(L)	137	103
Freezer Compartment(L)	/	17
Defrosting	Manual	Manual
Refrigerant	R600a	R600a
Energy Efficiency	European Class E/F(A+/A++)	European Class E/F(A+/A++)
Certification	CE/GS/CB	CE/GS/CB
Product(W*D*H)(mm)	595*545*818	595*545*818
Packaging(W*D*H)(mm)	628*570*888	628*570*888
Weight(Net/Gross kg)	28/31	30/33
Loading (40HQ)(pcs)	226	226



Total Capacity (L)	95
Fridge Compartment(L)	/
Freezer Compartment(L)	95
Defrosting	Manual
Refrigerant	R600a
Energy Efficiency	European Class E/F(A+/A++)
Certification	CE/GS/CB
Product(W*D*H)(mm)	595*545*818
Packaging(W*D*H)(mm)	628*570*888
Weight(Net/Gross kg)	32/35
Loading (40HQ)(pcs)	226



# Hotel Fridge

# 5

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

29-34



Absorption-Glass Door



Net Capacity(L)	44.5	41
Input power	90W	90W
Energy Consumption(Kwh/24h)	1.22	1.22
Certification	CE/CB/ETL	CE/CB/ETL
Product(W*D*H /mm)	External:460*480*605 Internal:360*265*500	External:402*465*670 Internal:312*250*565
Packing(W*D*H /mm)	500*520*640	450*495*710
Kg (Net / Gross)	22/24.2	21/23.5
Loading (40HQ)(pcs)	368	438



Net Capacity(L)	33	26
Input power	65W	65W
Energy Consumption(Kwh/24h)	1	1
Certification	CE/CB/ETL	CE/CB/ETL
Product(W*D*H /mm)	External:402*465*560 Internal:312*250*455	External:402*440*500 Internal:312*225*395
Packing(W*D*H /mm)	450*495*600	450*470*540
Kg (Net / Gross)	20/22	18/20
Loading (40HQ)(pcs)	496	620

Absorption-Solid Door



Net Capacity(L)	50	44.5
Input power	60W	90W
Energy Consumption(Kwh/24h)	0.8	0.74
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/ETL
Product(W*D*H /mm)	460*480*560	External:460*480*605 Internal:360*265*500
Packing(W*D*H /mm)	485*525*650	500*520*640
Kg (Net / Gross)	15/17	21.5/24
Loading (40HQ)(pcs)	384	368



Net Capacity(L)	40	33
Input power	60W	65W
Energy Consumption(Kwh/24h)	0.8	0.71
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/ETL
Product(W*D*H /mm)	435*455*545	External:402*465*560 Internal:312*250*455
Packing(W*D*H /mm)	495*475*600	450*495*600
Kg (Net / Gross)	15/17	17.5/19.5
Loading (40HQ)(pcs)	384	496

Hotel Fridge

Absorption-Solid Door



Net Capacity(L)	32	28
Input power	60W	60W
Energy Consumption(Kwh/24h)	0.8	0.8
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/GS/KC/PSE/ROHS
Product(W*D*H /mm)	435*435*460	400*390*440
Packing(W*D*H /mm)	475*475*520	425*435*500
Kg (Net / Gross)	14/15.5	12/13.5
Loading (40HQ)(pcs)	480	675

Hotel Fridge

Thermoelectric



Net Capacity(L)	32
Input power	65W
Energy Consumption(Kwh/24h)	0.6
Certification	ETL / ROHS / CCC / CE / CB
Product(W*D*H /mm)	405*443*545
Packing(W*D*H /mm)	460*495*585
Kg (Net / Gross)	13.2/14.2
Loading (40HQ)(pcs)	549



Net Capacity(L)	26
Input power	65W
Energy Consumption(Kwh/24h)	0.59
Certification	CE/CB/ETL
Product(W*D*H /mm)	External:402*440*500 Internal:312*225*395
Packing(W*D*H /mm)	450*470*540
Kg (Net / Gross)	16/18
Loading (40HQ)(pcs)	620



Net Capacity(L)	26
Input power	65W
Energy Consumption(Kwh/24h)	0.28
Certification	ETL / ROHS / CCC / CE / CB
Product(W*D*H /mm)	380*440*465
Packing(W*D*H /mm)	430*515*520
Kg (Net / Gross)	9/10.4
Loading (40HQ)(pcs)	615

**Hotel Fridge**

Thermoelectric



Net Capacity(L)	25
Input power	65W
Energy Consumption(Kwh/24h)	0.39
Certification	CE / CB / CCC / ETL / ROHS / REACH
Product(W*D*H /mm)	380*445*475
Packing(W*D*H /mm)	430*515*520
Kg (Net / Gross)	11/12.5
Loading (40HQ)(pcs)	615



Net Capacity(L)	24	20
Input power	60W	60W
Energy Consumption(Kwh/24h)	0.3	0.3
Certification	CE / CB / CCC / ETL / ROHS / REACH	CE / CB / CCC / ETL / ROHS / REACH
Product(W*D*H /mm)	380*380*475	402*351*448
Packing(W*D*H /mm)	430*460*520	457*403*488
Kg (Net / Gross)	10/11.5	9.8/11.1
Loading (40HQ)(pcs)	675	725



# Retro Fridge

CREATE YOUR LIFE  
Global Leading Brand For High-end

35-37



Double Door



Total(L/cu.ft)	250	208
Fridge Compartment(L)	186	160
Freezer Compartment(L)	64	48
Defrost	Manual	Manual
Certificate	CB/CE	CB/CE
Energy Class	A+/F	A+/F
Refrigerant	R600a	R600a
Product Size(mm)	545*585*1843	550*620*1480
Packaging Size(mm)	580*645*1870	580*645*1510
Weight(Net/Gross kg)	52/58	41/45
Loading (40HQ)(pcs)	96	122



Total(L/cu.ft)	136	80
Fridge Compartment(L)	96	54
Freezer Compartment(L)	40	26
Defrost	Manual	Manual
Certificate	CB/CE	CB/CE
Energy Class	A+/F	A+/F
Refrigerant	R600a	R600a
Product Size(mm)	470*510*1310	470*510*868
Packaging Size(mm)	490*540*1335	490*540*880
Weight(Net/Gross kg)	31/35	25/28
Loading (40HQ)(pcs)	192	288

Single Door



Total(L/cu.ft)	242	118
Fridge Compartment(L)	242	108
Freezer Compartment(L)	/	10
Defrost	Manual	Manual
Certificate	CB/CE	CB/CE
Energy Class	A+/F	A++/F
Refrigerant	R600a	R600a
Product Size(mm)	550*620*1480	550*620*860
Packaging Size(mm)	580*645*1510	580*645*885
Weight(Net/Gross kg)	38/43	30/33
Loading (40HQ)(pcs)	122	211



Total(L/cu.ft)	91
Fridge Compartment(L)	81
Freezer Compartment(L)	10
Defrost	Manual
Certificate	CB/CE
Energy Class	A++/F
Refrigerant	R600a
Product Size(mm)	455*535*825
Packaging Size(mm)	490*540*850
Weight(Net/Gross kg)	22/26
Loading (40HQ)(pcs)	288



 **supermatic**<sup>®</sup>  
Quality is our Priority